

RECEIVED  
CENTRAL FAX CENTER

APR 16 2008

In the Claims:

Claims 1 – 13 (canceled)

14. (withdrawn)      An additive for inorganic and organic building materials comprising copper or a mixture of copper with one or more metals from the group consisting of iron, zinc, lead, tin, antimony, silver and gold in elementary and powdered form in portions of each 0.01 to 20 percent by weight and optionally a support material.
15. (withdrawn)      An additive for cement-containing building materials comprising copper or a mixture of copper with one or more metals from the group consisting of iron, zinc, lead, tin, antimony, silver and gold in elementary and powdered form in portions of each 0.01 to 20 percent by weight and optionally a support material.
16. (withdrawn).      An additive according to claim 14 in which the metals have a particle size of <0.1 mm.
17. (withdrawn)      An additive according to claim 14 comprising wood charcoal as support material.
18. (withdrawn)      An additive according to claim 14 comprising the metals in portions of 0.001 to 15% and the support material in portions of 85 to 99.999%.
19. (withdrawn)      An additive according to claim 14 comprising the metals zinc, copper, lead, tin, antimony, silver and gold in different amounts.

- 20.( withdrawn) In a process for the production of a cement-containing mineral building material with improved bio-energetic properties, the improvement comprising the incorporation of an additive according to claim 17.
- 21.( withdrawn) In a process according to claim 20, the improvement that the additive is used in quantities from 0.01% to 20% by weight of the cement quantity.
- 22.( withdrawn) In a process for the production of a cement-containing mineral building material with improved thermal insulation properties and with improved bio-energetic properties, the improvement comprising the incorporation of an additive according to claim 14.
- 23.( withdrawn) In a process for the production of a cement-containing mineral building material with reduced specific gravity (wood charcoal – light concrete) and with improved bio-energetic properties, the improvement comprising the incorporation of an additive according to claim 17.
- 24.( withdrawn) In a process for the production of a colored cement-containing mineral building material with improved bio-energetic properties, the improvement comprising the incorporation of an additive according to claim 17.
- 25.( withdrawn) Cement-containing mineral building materials with improved bio-energetic properties comprising an additive according to claim 14.
- 26.( withdrawn) Additive for inorganic or organic materials, characterised in that it contains copper or a mixture of copper with one or more metals in elementary and powdered form in portions of each 0.01 to 20 percent by weight and optionally a support material.

27. (withdrawn) Additive for cement-containing mineral building materials, characterised in that it contains copper or a mixture of copper with one or more metals in elementary and powdered form in portions of each 0.01 to 20 percent by weight and optionally a support material.
- 28.- 33. (canceled)
34. (new) A process for the production of a an optionally colored, cement-containing mineral building material comprising the process step of:  
including within said building material an additive comprising copper or a mixture of copper with one or more metals from the group consisting of iron, zinc, lead, tin, antimony, silver and gold in elementary and powdered form in portions of each 0.001 to 20 percent by weight and optionally a support material.
- 35.(new) A process according to claim 34 wherein the cement-containing building material has improved bio-energetic properties.
- 36.(new) A process according to claim 34 wherein the cement-containing building material has improved thermal insulation properties
- 37.(new) A process according to claim 34 wherein the cement-containing building material has reduced specific gravity (wood charcoal-light concrete) and improved bio-energetic properties, and wherein the said additive comprises charcoal as a support material.
- 38.(new) A process according to claim 34 wherein the cement-containing building material is colored.

- 39.(new) A process according to claim 34 wherein the additive included within the cement-containing building material is present in an amount of from 0.01% to 20 % by weight based on the total amount of the cement present within the cement-containing building material.
- 40.(new) A process according to claim 34 wherein the metals of the additive included within the cement-containing building material have a particle size of <0.1 mm.
- 41.(new) A process according to claim 34 wherein the additive comprises a support material.
- 42.(new) A process according to claim 41 where the metals of the additive included in the cement-containing building material are present in an amount of 0.001 – 15%wt. based on the total weight of the additive, and the support material is present in an amount of 85 to 99.999%wt. based on the total weight of the additive.
- 43.(new) A process according to claim 34 wherein the additive comprises the metals zinc, copper, lead, tin, antimony, silver and gold in different amounts.
- 44.(new) Cement-containing building materials produced by the process according to claim 34.